arXiv:1301.5040v1 [quant-ph] 21 Jan 2013

About possible extensions of quantum theory*

GianCarlo Ghirardi†
Department of Physics, University of Trieste, and the Abdus Salam ICTP, Trieste (Italy)

Raffaele Romano‡
Department of Mathematics, Iowa State University, Ames, IA (USA)

Recently it has been claimed that *no extension of quantum theory can have improved predictive power*, the statement following, according to the authors, from the assumptions of free will and of the correctness of quantum predictions concerning the correlations of measurement outcomes. Here we prove that the argument is basically flawed by an inappropriate use of the assumption of free will. In particular, among other implications, the claim, if correct, would imply that Bohmian Mechanics is incompatible with free will. This statement, appearing in the paper, derives from the unjustified identification of free will with the no-signaling constraint and of a purely formal and not physical use of such a constraint.

PACS numbers: 03.65.Ta, 03.65.Ud
Keywords: Signaling, Free will, Quantum Theory

Introduction — In a recent paper, Colbeck and Renner [1] have argued that the assumptions

- that the observers can freely choose which specific measurements to perform on the constituents of a composite quantum system in an entangled state, and
- that the statistics of the outcomes agrees with quantum predictions,

imply that any extension of quantum theory cannot convey any additional information about the outcomes of future measurements with respect to the one supplied by the statevector. In other words, no completion of the theory is possible.

The problem — The authors consider two particles heading towards two measurement devices that have a number of possible settings, identified by two parameters A and B, that can freely and independently be chosen by the experimenters. The measurements yield results denoted by X and Y, respectively. At this point the authors raise the question of whether there could exist a further source of information Ξ allowing to predict more accurately the outcomes.

The novelty of the approach with respect, e.g., a standard hidden variable completion of quantum mechanics, stays in the fact that the authors do not require (but they even not exclude) that such information implies a precise knowledge of the outcomes (determinism) and in the fact that they do not assume that the further information be encoded in a classical system (as it happens in the case of standard hidden variable theories). In particular it might happen that, to get the additional information, one has to access the source by a typical quantum procedure, i.e. to input a quantum system C (a sort of measuring apparatus) and to use the output Z from C to have more information concerning the system A+B. The only crucial aspect addressed in Ref. [1] is whether the further information Ξ might enable one to make more accurate predictions concerning the outcomes than those implied by the knowledge of the statevector. Moreover, the authors specify that A,B,C and X,Y,Z are spacetime random variables whose values can be associated to precise spacetime points (t, r_1, r_2, r_3). This important specification is useful to make fully precise the assumption that two measurement procedures and the associated outcomes are space-like with respect to one another.

At this point the authors formulate their first request, denoted as FR, that the observers can independently choose the measurements they perform. Using their words:

> Assumption FR is that the input, A, of a measurement process can be chosen such that it is uncorrelated with certain other spacetime random variables, namely all those whose coordinates lie outside the future lightcone of the coordinates of A.

It is meant that this assumption holds also for B and C. The second fundamental request (denoted as QM) is that the present quantum theory is correct, i.e.:

> Measurement outcomes obey quantum statistics and... all processes within quantum theory can be considered as unitary evolutions, if one takes into account the environment. [Moreover] the second part of the assumption need only hold for microscopic processes on short timescales.

The argument — The main mathematical objects the paper deals with are joint distributions of measurements and outcomes, typically objects like $P_{XYZ|ABC}$, $P_{YZ|ABC}$, $P_{XY|AB}$ and similar ones. The authors start by expressing their request of free choice of the settings A, B and C in the following way:

$$\begin{aligned} P_{A|BCYZ} &= P_A \\ P_{B|ACXZ} &= P_B \\ P_{C|ABXY} &= P_C. \end{aligned} \tag{1}$$

From such relations they derive, with simple manipulations involving conditional and unconditional probabilities, the three following relations,

$$\begin{aligned} P_{YZ|ABC} &= P_{YZ|BC} \\ P_{XZ|ABC} &= P_{XZ|AC} \\ P_{XY|ABC} &= P_{XY|AB}, \end{aligned} \tag{2}$$

which are the non-signaling constraints on which all the subsequent arguments are based. In fact these constraints, when applied to appropriately chosen measurements on a maximally entangled state (or, by extending the procedure, to an arbitrary entangled state) lead to the basic conclusion of the paper, which the authors summarize in the following way: the extra information Ξ is of no use since *the distribution of X given A and Ξ is the same as the distribution of X given only A*. Accordingly, the authors claim to have proved that *under the assumption that measurement settings can be chosen freely, quantum theory really is complete.*

This result is valid for both deterministic or probabilistic completions of quantum mechanics. Nonetheless, in order to clearly formulate our criticism to the authors' assumptions, in the following we will mainly concentrate on deterministic models.

An oversimplified completion of quantum mechanics – We present here an extremely simplified model of a deterministic hidden variable theory, which is a more elegant and symmetric (from the point of view of its nonlocal features) reformulation of Bell's famous example [2] of a nonlocal deterministic hidden variable theory for the correlations of the singlet state. Such a model has been recently discussed [3] by the two of us, with reference to a proposal put forward by Leggett [4]. Exactly as Bohmian mechanics, this model satisfies the aforementioned assumption QM, but it fails to fulfill FR, as we shortly prove.

The model goes as follows. One considers the system of two identical spin 1/2 particles in the singlet state, which at a given time t (in a given reference frame) are confined to two far away space regions and can be subjected to experiments aimed to ascertain the value of their spin components along two freely chosen space directions $\mathbf{a}$ and $\mathbf{b}$. The system is characterized by the assignement of the statevector ψ (which in our case is the singlet) and by a hidden variable λ, which is a unit vector in the three dimensional real space and is assumed to be uniformly distributed on the surface of the unit sphere. One then assumes:

- In the case in which only one of the subsystems is subjected to a measurement the value taken by $\sigma^{(1)} \cdot \mathbf{a}$ is given by $A_\psi(\mathbf{a}, \mathbf{b}, \lambda) = \mathrm{sgn}(\mathbf{a} \cdot \lambda)$, and similarly for $\sigma^{(2)} \cdot \mathbf{b}$, with outcome $B_\psi(\mathbf{a}, \mathbf{b}, \lambda) = -\mathrm{sgn}(\mathbf{b} \cdot \lambda)$.

- On the contrary, if two measurements are performed, the assignment of λ uniquely and nonlocally determines the outcomes as follows: $A_\psi(\mathbf{a}, \mathbf{b}, \lambda) = \mathrm{sgn}(\hat{\mathbf{a}} \cdot \lambda)$ and $B_\psi(\mathbf{a}, \mathbf{b}, \lambda) = -\mathrm{sgn}(\hat{\mathbf{b}} \cdot \lambda)$, where the vectors $\hat{\mathbf{a}}$ and $\hat{\mathbf{b}}$ lie in the plane identified by $\mathbf{a}$ and $\mathbf{b}$, and are obtained by these vectors by rotating them in such a way that they are still symmetrically disposed with respect to the bisector of the angle ω (with $0 \leq \omega \leq \pi$) between $\mathbf{a}$ and $\mathbf{b}$, and form an angle $\hat{\omega}$ satisfying, as in the case of Bell's model, $\hat{\omega} = \pi \sin^2 \frac{\omega}{2}$. Notice that $\hat{\omega} \leq \omega$ when $\omega \leq \pi/2$, and $\hat{\omega} \geq \omega$ when $\omega > \pi/2$.

By using the above relations one can easily prove that the model, when the appropriate average over λ is performed, is predictively equivalent to quantum mechanics. Stated differently, it represents, just as Bohmian mechanics, a precise extension (even though limited to the singlet state) of quantum mechanics.

In what follows, we will consider the case in which X is the value of the observable $\sigma^{(1)} \cdot \mathbf{a}$, A is the space of the settings $\mathbf{a}$, B is the space of the settings $\mathbf{b}$ for the observable $\sigma^{(2)} \cdot \mathbf{b}$, C stays for the space of the hidden variable and $Z = \lambda$ for a precise value of the hidden variable itself. However, the reader will not encounter any difficulty in understanding the argument keeping in mind these specifications, even though, for simplicity, we will continue to use the generic expressions for the conditional probabilities.

We consider $P_{XZ|AC}$, and we take into account that this probability is different from zero only for $X = \pm 1$ and takes the value $+1$ when $X = +1$ and $\mathbf{a} \cdot \lambda > 0$ and the value 0 when $X = +1$ and $\mathbf{a} \cdot \lambda < 0$ (the two values must be exchanged when the probabilities refer to the outcome -1). We can now evaluate $P_{XZ|ABC}$. From the prescriptions given above, for some values of $\mathbf{a}$ and λ, it is possible to choose the setting $\mathbf{b}$ in such a way to make $P_{XZ|ABC} = 0$ when, for the considered λ, $P_{XZ|AC} = 1$. Actually, for simplicity let us align λ with the z-direction and suppose that the angle between $\mathbf{a}$ and λ is $\theta \leqslant \pi/2$, as shown in Fig. 1. Let us now consider the direction $\mathbf{a}_\perp$ and let us choose $\mathbf{b}$ lying between $\mathbf{a}_\perp$ and $-\mathbf{a}$. Since the angle ω between $\mathbf{a}$ and $\mathbf{b}$ is greater than $\pi/2$, according to the rules governing our model, $\hat{\mathbf{a}}$ is rotated, in the clockwise direction, of an amount

$$\frac{\hat{\omega} - \omega}{2} = \frac{\pi}{2} \sin^2 \frac{\omega}{2} - \frac{\omega}{2} \tag{3}$$

with respect to $\mathbf{a}$. If this amount is greater than $\frac{\pi}{2} - \theta$,



FIG. 1: Values of $\mathbf{a}$, $\mathbf{b}$ and λ for which the non-signaling constraints are violated.

i.e., if θ satisfies the relation

$$\theta > \frac{\pi}{2}\cos^2\frac{\omega}{2} + \frac{\omega}{2}, \tag{4}$$

the quantity $\hat{\mathbf{a}} \cdot \lambda$ has opposite sign with respect to $\mathbf{a} \cdot \lambda$ and, correspondingly, $P_{XZ|ABC} = 0$. It turns out that, when $\pi/2 < \omega < \pi$, condition (4) is always compatible with $\theta \leqslant \pi/2$, and then the model does not respect the non-signaling constraint imposed to any extension of quantum mechanics in Ref. [1]. Therefore, it does not satisfy FR.

One might object that our example (which holds only for a specific state ψ) is too simplified to allow general conclusions of the sort we have drawn. However, such an objection would be totally out of the target. In fact, anybody familiar with Bohmian mechanics (the paradigmatic example of a hidden variable extension of quantum mechanics) knows very well that, in the case of two far away spin 1/2 particles in an entangled state, a situation, which mirrors perfectly the one we have presented, occurs quite naturally. Typically, for a given statevector ψ, for given values of the positions of the particles (the hidden variables) and for some fixed choice of the setting of the apparatus in A, an observer in B can perform an appropriate choice for the setting of his apparatus in such a way that $P_{XZ|ABC}$ differs from $P_{XZ|AC}$ (obviously here C stays for the positions of the particles and Z for their precise values).

A critical analysis of the FR assumption — We are thus confronted with the following situation: we have an extremely simple model (a trivial generalization of a proposal by Bell) and the very general theory worked out by Bohm, which everybody has taken seriously as perfectly acceptable completions of quantum mechanics, and both of them violate the constraints that are put at the very basis of the argument of Ref. [1]. Since such constraints derive in a straightforward way from (1), which the authors consider as appropriately expressing the physical request that the settings of the apparatuses can be chosen freely, it is just this condition which has to be critically investigated.

The first trivial remark is that, as pointed out by Colbeck and Renner themselves, the non-signaling constraints (2) imply $P_{X|ABZ} = P_{X|AZ}$ and $P_{Y|ABZ} = P_{Y|BZ}$, i.e., they require the theory to satisfy Parameter Independence (PI). Now, it is universally known that any deterministic theory which reproduces the predictions of quantum mechanics cannot violate Outcome Independence (OI) and therefore, since it must violate Bell's locality, it must violate precisely the Parameter Independence request. From this point of view the whole and complicated proof of Ref. [1] becomes absolutely trivial in the case of deterministic completions of quantum mechanics. By indicating as $\{Det.\ Compl.\}$ any deterministic completion of the theory, the whole argument, for the case under discussion, can be summarized in the following terms:

$$\begin{gathered} FR \supset PI \Longleftrightarrow \neg(PI) \supset \neg FR \\ \{Det.\ Compl.\} \supset \neg(PI) \supset \neg FR. \end{gathered} \tag{5}$$

Actually, in full agreement with the above remarks, Colbeck and Renner explicitly state that *in the context of de Broglie-Bohm theory the presence of nonlocal hidden variables contradicts assumption FR*. They conclude that in this theory there is not free will. This quite general and revolutionary statement seems to us fully inappropriate and it gives clear hints concerning where the analysis of Ref. [1] is incorrect and not conclusive.

We mention the points on which we fully agree with the authors: i) The fact that the locality assumption by Bell (which we will denote as B-Loc in what follows) amounts to the request that $P_{XY|ABZ} = P_{X|AZ}\,P_{Y|BZ}$, provided one assumes that Z represents the maximal specification which is in principle possible of the state of the system; ii) The statement that B-Loc is equivalent to the logical conjunction of the requests of (PI) and (OI); and iii) The proof that their way of imposing FR implies PI. Nonetheless, we believe that the identification of FR with free will turns out to be extremely problematic and represents the really crucial point of the paper. Is it legitimate and physically appropriate to formulate the request that the apparatus settings can be chosen at free will in the way the authors have chosen?

In our opinion Colbeck and Renner, having not taken into account the important fact that any deterministic completion of quantum mechanics unavoidably implies the violation of the request of PI, have not realized that their proof echoes the celebrated and controversial proof of von Neumann concerning the impossibility of deterministic completions of the theory. And we all know that it has been just J. Bell to make clear that, in spite of its mathematical correctness, von Neumann's proof was not physically significative because it was based on a physically not necessary assumption.

Are we not confronted here with a situation analogous to the one we have just mentioned? There is no doubt that the proof of Colbeck and Renner is correct. But precisely as in the case of von Neumann, the exclusion of any deterministic completion of the theory cannot be true. And it is interesting that, in a sense, once more, by discussing the role of the free choice of the settings in Bohmian mechanics, Bell himself has anticipated that the conclusion of the authors is not correct, i.e., that their way of imposing the request that such a choice is completely free goes well beyond what is actually necessary. We are thus led to recall the discussions on this point which already appeared in the literature in connection with the debate on Bohmian mechanics.

The standard approach to free will — As everybody knows and in full contrast with the authors' position, in the usual EPR-Bohm type of scenario one usually (and tacitly) assumes that the settings of the devices can be made "freely", i.e., independently of the specification of the state of the incident particles. Typically, in the most significative experiments (as those of Aspect) the settings are generated by independent random number generators, so that there is nothing in the past light cone of the individual measurement events determining which choice will be made. However, in fully deterministic theories such as Bohmian mechanics itself, the choice of the settings might be (in principle) influenced by events in their past and, therefore, the pasts of the settings overlap with the situations which will play a role concerning the states of the particles being measured prior to the measurement processes. A complete specification of the state will therefore include facts which in some measure are relevant for the settings, so that there is a certain subtle incompatibility of the assumption that the settings can be made independently of the state of the particles. It seems that it is just this point which has led Colbeck and Renner to be so strict in putting forward their request FR.

This problem has been already exhaustively considered both by Bell and by Shimony, Clauser and Horne [5] and has been recently lucidly analyzed by T. Norsen [6] along lines which we recall here. To overcome the just mentioned difficulty one merely allows that the events in the relevant region can be divided into disjoint classes: those which are influenced by the preparation procedure and specify the state of the system and those which enter in the choice of the settings. These two classes are far from jointly exhaustive so that one can expect a causal distance between them which makes the "freedom" assumption a quite reasonable one. As Bell himself has acknowledged [7] one possibility is that:

> it is not permissible to regard the experimental settings in the analyzers as independent of the supplementary variables λ, in that a and b could be changed without changing the probability distribution $\rho(\lambda)$. Now, even if we have arranged that a and b are generated by apparently random radioactive devices, housed in separate boxes and thickly shielded, or by Swiss national lottery machines, or by elaborated computing programmes, or by apparently free will experimental physicists, or by some combination of all of these, we cannot be *sure* that [the settings] a and b are not significantly influenced by the same factors λ that influence [the outcomes] A and B. But this way of arranging quantum mechanical correlations would be even more mind boggling that one in which causal chains go faster than light. Apparently, separate parts of the world would be deeply and conspiratorially entangled, and our apparent free will would be entangled with them.

And he [8] also added:

> One can envisage then theories in which there just *are* no free variables for the polarizer angles to be coupled to. In such 'super deterministic' theories the apparent free will of the experimenter, and any other apparent randomness, would be illusory. Perhaps such a theory could be both locally causal and in agreement with quantum mechanical predictions. However I do not expect to see a serious theory of this kind. I would expect a serious theory to permit 'deterministic chaos' or 'pseudo randomness', for complicated subsystems (e.g. computers) which would provide variables sufficiently free for the purpose at hand. But I do not have a theorem about that.

It is also useful to recall, as Norsen did, the clear-cut position taken be Shimony, Clauser and Horne on the issue of the "freedom" or "no conspiracies" assumption we have just mentioned:

> we feel that it is wrong on methodological grounds to worry seriously about [such an assumption] if no specific causal linkage is proposed. In any scientific experiment in which two or more variables are supposed to be randomly selected, one can always conjecture that some factor in the overlap of the backward light cones has controlled the presumably random choices. But, we maintain, skepticism of this sort will essentially dismiss all results of scientific experimentation. Unless we proceed under the assumption that hidden conspiracies of this sort do not occur, we have abandoned in advance the whole enterprise of

> discovering the laws of nature by experimentation.

This kind of argument (which, in our opinion, has general validity [11]), seems even more appropriate for theories which violate PI, but with hidden variables assumed not to be fully accessible.

The mistake of Colbeck and Renner should now be clear: due to the unavoidable nonlocal character of the theories we are dealing with, it is not physically reasonable to impose the free will condition in the way chosen by the authors. Consequently, there is no physical reason to require FR, which in general cannot be identified with the free will requirement (with reference to this point one can see the detailed analysis by A. Shimony [9] concerning controllable and uncontrollable nonlocality), and extensions of quantum theory could have improved predictive power, at least in principle (for instance, see [10]).

Conclusions — Our conclusions should be clear to all who have followed the previous argument: the paper by Colbeck and Renner is based on a too strong and not physically and epistemologically convincing assumption of free will which, in particular, since it implies that all theories taken into account must satisfy the PI conditions, automatically excludes a whole class of hidden variable theories which everybody takes seriously as perfectly acceptable. For simplicity, we have made this clear with reference to deterministic nonlocal hidden variable completions of quantum mechanics. At any rate, our result shows that the basic claim of Ref. [1], that *no extension of quantum theory can have improved predictive power*, is not correct when one assumes that at least a part of the parameters completing the theory must be unaccessible.

---

[*] We are grateful to S. Goldstein and D. Duerr for a critical reading of the paper. R. R. acknowledges support by the ARO MURI grant W911NF-11-1-0268.

[†] Electronic address: ghirardi@ictp.it
[‡] Electronic address: rromano@iastate.edu

[1] Colbeck R. & Renner R., *Nat. Commun.* 2:411 doi: 10.1038/ncomms1416 (2011).
[2] Bell J.S., *Physics* **1**, 195 (1964).
[3] Ghirardi G.C. & Romano R.,*Phys. Rev.* A **86**, 022116 (2012).
[4] Leggett A.J., *Found. Phys.* **33**, 1469 (2003).
[5] A. Shimony, M.A. Horne and J.F: Clauser, Epistemological Letters, F. Bonsack, ed., **9** 1976, reprinted in *Dialectica* **39**, 97 (1985).
[6] T. Norsen, arXiv:0707.0401, 2011.
[7] J.S. Bell, *Journal de Physique*, suppl. au no.3, Tome 42 (1981).
[8] J.S. Bell, *La nouvelle cuisine* in *Between Science and Technology*, A. Sarlemijn and P. Kroes eds. Elsevier Publishers, 1990.
[9] Shimony A., *Controllable and Uncontrollable Non-Locality* in *Proc. Int. Symp. Foundations of Quantum Mechanics*, Tokyo, 1983, pp. 225-230.
[10] Ghirardi G.C. & Romano R., *Onthological models predictively inequivalent to quantum theory*, arXiv:1301.2695, 2013.
[11] Actually the argument boils down to the statement that in a deterministic theory there is no space for free will. To grasp the real meaning of such a position one might try to claim that, within the Maxwell scenario, since the theory is perfectly deterministic, one cannot assume that an experimenter can freely open or close a switch of an electric device. The remark that such a choice is certainly not fully ruled by electromagnetic laws (in spite of the fact that the nervous transmission involves electromagnetic phenomena) does not change the status of the question. If one takes into account also Newtonian mechanics, which is fully deterministic, one might claim that the initial conditions, let us say at the big bang, determine in advance (in accordance with the laws of mechanics and electromagnetism) whether the button will be switched on or not. It goes without saying that such a position will make the whole scientific enterprise meaningless.